

SUPA LOCK™
PROGRAMMA
OVERZICHT



Expect... **AVR**

AVK SUPA LOCK™ - DRAADLOOS VERBINDINGSSYSTEEM



DIENSTLEIDING AFSLUITER, SUPA LOCK™

AVK art.nr.	Leiding mm
103-032-00-000464	32



DIENSTLEIDING AFSLUITER, PRK KOPPELING

AVK art.nr.	Leiding mm
103-032-50-500464	32
103-032-50-510464	40



HAAKSE DIENSTLEIDING AFSLUITER, SUPA LOCK™

AVK art.nr.	Leiding mm
103-032-02-000464	32



HAAKSE DIENSTLEIDINGAFSLUITER, PUSH-IN VERBING

AVK art.nr.	Leiding mm
103-032-31-400464	32
103-032-31-410464	40



MESSING KOGELKRAAN, BSP DRAAD

AVK art.nr.	BSP draad
343-025-8100	1"
343-032-8100	1¼"
343-040-8100	1½"



MESSING KOGELKRAAN, PRK KOPPELING

AVK art.nr.	Leiding mm
343-025-8400	32
343-032-8400	40
343-040-8400	50



MESSING KOGELKRAAN, SCHROEFKOPPELING

AVK art.nr.	Leiding mm
343-025-8500	32
343-032-8500	40
343-040-8500	50



AANBOORKOP MET SHUTT-OFF BLADE

AVK art.nr.	DN
107-005-74-32464	32



AANBOORZADEL VOOR GIETIJZEREN/STALEN LEIDINGEN

AVK art.nr.	Tolerantie mm
100-067-14-320464	60-67
100-083-14-320464	76-83
100-099-14-320464	88-99
100-119-14-320464	114-119
100-171-14-320464	168-171
100-223-14-320464	219-223



AANBOORZADEL VOOR GIETIJZEREN/STALEN LEIDINGEN, MET SHUT-OFF BLADE EN ONDERBEUGEL

AVK art.nr.	Tolerantie mm
100-088-85-320464	50-88
100-118-85-320464	88-118
100-133-85-320464	105-133
100-159-85-320464	133-159
100-186-85-320464	156-186
100-216-85-320464	186-216
100-244-85-320464	210-244
100-270-85-320464	240-270
100-298-85-320464	265-298
100-330-85-320464	299-330
100-345-85-320464	315-345
100-360-85-320464	325-360



AANBOORZADEL VOOR GIETIJZEREN/STALEN LEIDINGEN, MET SHUT-OFF BLADE

AVK art.nr.	Tolerantie mm
100-040-84-320464	50-100
100-080-84-320464	80-300



ONDERBEUGEL VOOR AANBOORZADEL

AVK art.nr.	Tolerantie mm
730-6-088-021	50-88
730-6-118-021	88-118
730-6-133-021	105-133
730-6-159-021	133-159
730-6-186-021	156-186
730-6-216-021	186-216
730-6-244-021	210-244
730-6-270-021	240-270
730-6-298-021	265-298
730-6-330-021	299-330
730-6-345-021	315-345
730-6-360-021	325-360



AANBOORZADEL VOOR PE/PVC LEIDINGEN

AVK art.nr.	Leiding mm
100-063-00-320464	63
100-075-00-320464	75
100-090-00-320464	90
100-110-00-320464	110
100-125-00-320464	125
100-140-00-320464	140
100-160-00-320464	160
100-200-00-320464	200
100-225-00-320464	225



FITTING MET PRK KOPPELING

AVK art.nr.	Leiding mm
106-032-01-32464	32
106-040-01-32464	40



MESSING FITTING MET PRK KOPPELING

AVK art.nr.	Leiding mm
106-032-02-324	32
106-040-02-324	40
106-050-02-324	50



MESSING FITTING MET SCHROEFKOPPELING

AVK art.nr.	Leiding mm
106-132-02-324	32
106-140-02-324	40
106-150-02-324	50



SPATEL

AVK art.nr.	DN
730-0-0-1	50-300



MESSING SENSOR FITTING

AVK ref. nr.	Leiding mm
106-901-02-324	32



TUSSENSTUK VOOR FLENSVERBINDINGEN

AVK art.nr.	DN
109-080-10-32064	80
109-100-10-32064	100
109-150-10-32064	150
109-200-10-32064	200
109-250-10-32064	250
109-300-10-32064	300
109-400-10-32064	400



RECHTE PUSH-IN FITTING

AVK art.nr.	Leiding mm
107-032-21-32464	32
107-040-21-32464	40
107-050-21-32464	50
107-063-21-32464	63



HAAKSE PUSH-IN FITTING

AVK art.nr.	Hoek	Leiding mm
107-025-51-32464	45°	25
107-032-31-32464	90°	32
107-040-31-32464	90°	40
107-050-31-32464	90°	50
107-063-31-32464	90°	63



FITTING MET DUBBELE SPIE VERBINDING

AVK art.nr.	Leiding mm
109-032-15-32464	32



FITTING MET 3-VOUDIGE SPIE-EIND VERBINDING

AVK art.nr.	Leiding mm
109-032-16-32064	32



FITTING MET SUPA LOCK™ MOFEIND

AVK art.nr.	Leiding mm
107-040-11-32464	40



FITTING MET PE UITEINDE

AVK art.nr.	Leiding mm
107-032-36-32464	32
107-040-36-32464	40



DUBBELE UPVC MOFVERBINDING

AVK ref. nr.	DN
109-110-24-32464	100
109-160-24-32464	150
109-200-24-32464	200
109-225-24-32464	200
109-250-24-32464	250
109-280-24-32464	250
109-315-24-32464	300



FITTING MET UPVC MOF/SPIE-EIND VERBINDING

AVK ref. nr.	DN
109-110-25-32464	100
109-160-25-32464	150
109-200-25-32464	200
109-225-25-32464	200
109-250-25-32464	250
109-280-25-32464	250
109-315-25-32464	300




FITTING MET MOF/SPIE-EIND VERBINDING

AVK ref. nr.	DN
109-118-26-32064	100
109-170-26-32064	150
109-222-26-32064	200
109-274-26-32064	250
109-326-26-32064	300



DUBBELE TYTON FITTING

AVK ref. nr.	DN
109-118-30-32064	100
109-170-30-32064	150
109-222-30-32064	200
109-274-30-32064	250
109-326-30-32064	300




BLINDFLENS

AVK ref. nr.	Rør mm
109-100-23-320641	32
109-150-23-320641	32
109-200-23-320641	32
109-200-23-320642	32
109-250-23-320641	32
109-250-23-320642	32
109-300-23-320641	32
109-300-23-320642	32
109-400-23-320641	32
109-400-23-320642	32
109-500-23-320641	32
109-500-23-320642	32
109-600-23-320641	32
109-600-23-320642	32



STOP

AVK art.nr.
106-000-00-32464



SCHROEFDRAAD VERBINDINGSSTUK

AVK art.nr.	BSP draad
106-003-01-32464	1¼"
106-004-01-32464	1½"
106-005-01-32464	2"



MESSING SCHROEFDRAAD VERBINDINGSSTUK

AVK art.nr.	BSP draad
106-002-02-324	1"
106-003-02-324	1¼"
106-004-02-324	1½"
106-005-02-324	2"



OVERGANGSKOPPELING

AVK art.nr.	BSP mm
106-013-03-32464	1¼"
106-014-03-32464	1½"
106-015-03-32464	2"



AANBOORTOESTEL VOOR ONDER DRUK AANBOREN

AVK art.nr.
970-5003-00200001

AVK NEDERLAND BV

Radeweg 12
8171 MD Vaassen
Nederland

Tel.: +31 578 57 44 90
www.avknederland.nl

2021-09-01
Copyright © AVK Group A/S 2021

Expect... **AVK**